

**Recall Quarterly Report****18E-115**

**Manufacturer Name :** Lifeworks Technology Group, LLC  
**NHTSA Recall No. / MFR Recall No. :** 18E-115 /  
**Recall Subject :** Heated Cushion or Blanket may Overheat and Melt  
**Owner Notification Beginning Date :** JAN 11, 2019  
**Owner Notification End Date:** FEB 28, 2019



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
6	AUG 20, 2020	2020-2	10,980	4,554	1,149	5,000
5	MAY 11, 2020	2020-1	10,980	4,554	1,149	5,000
4	FEB 02, 2020	2019-4	10,980	4,554	1,149	5,000
3	NOV 25, 2019	2019-3	10,980	4,554	1,149	5,000
1	MAY 28, 2019	2019-1	10,980	4,554	1,149	2,571

This Document Last Updated : AUG 20, 2020

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.