

# Recall Quarterly Report

# 18V-002

**Manufacturer Name :** Forest River, Inc.

**NHTSA Recall No. / MFR Recall No. :** 18V-002 /37-0604

**Recall Subject :** Incorrect Circuit Breaker Rating May Cause Fire

**Owner Notification Beginning Date :** JAN 24, 2018

**Owner Notification End Date:** JAN 26, 2018



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
13	APR 20, 2021	2021-1	152	82	7	0
12	JAN 20, 2021	2020-4	152	81	7	0
11	OCT 21, 2020	2020-3	152	81	7	0
10	JUL 22, 2020	2020-2	152	81	3	0
9	APR 14, 2020	2020-1	152	80	1	0
8	JAN 20, 2020	2019-4	152	71	0	0
7	OCT 22, 2019	2019-3	152	68	0	0
6	JUL 29, 2019	2019-2	152	60	0	0
5	APR 17, 2019	2019-1	152	57	0	0
4	JAN 16, 2019	2018-4	152	55	0	0
3	OCT 09, 2018	2018-3	152	54	0	0
2	JUL 24, 2018	2018-2	152	49	0	0
1	APR 19, 2018	2018-1	152	36	0	0

This Document Last Updated : APR 26, 2021

## Definitions :

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.