

Recall Quarterly Report**18V-081****Manufacturer Name :** Forest River, Inc.**NHTSA Recall No. / MFR Recall No. :** 18V-081 /15-0626**Recall Subject :** Missing Secondary Egress Window**Owner Notification Beginning Date :** FEB 14, 2018**Owner Notification End Date:** AUG 21, 2018

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
14	JUL 13, 2021	2021-2	53	26	1	0
13	APR 20, 2021	2021-1	53	25	2	0
12	JAN 20, 2021	2020-4	53	24	2	0
11	OCT 21, 2020	2020-3	53	24	1	0
10	JUL 22, 2020	2020-2	53	24	0	0
9	APR 14, 2020	2020-1	53	23	1	0
8	JAN 20, 2020	2019-4	53	18	0	0
7	OCT 22, 2019	2019-3	53	18	0	0
6	JUL 29, 2019	2019-2	53	17	0	0
5	APR 17, 2019	2019-1	53	16	0	0
4	JAN 16, 2019	2018-4	53	11	0	0
3	OCT 09, 2018	2018-3	53	8	0	0
2	JUL 24, 2018	2018-2	34	3	0	0
1	APR 19, 2018	2018-1	34	0	0	0

This Document Last Updated : JUL 14, 2021

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.