

Recall Quarterly Report**18V-197****Manufacturer Name :** Lazy Daze, Inc.**NHTSA Recall No. / MFR Recall No. :** 18V-197 /**Recall Subject :** Fire Extinguisher May Be Clogged or Inoperable**Owner Notification Beginning Date :** MAR 18, 2018**Owner Notification End Date:**

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
7	OCT 10, 2019	2019-3	109	82	0	0
6	JUL 11, 2019	2019-2	109	73	0	0
5	APR 19, 2019	2019-1	109	59	0	0
4	APR 19, 2019	2018-4	109	56	0	0
3	APR 19, 2019	2018-3	109	53	0	0
2	APR 19, 2019	2018-2	109	48	0	0
1	APR 19, 2019	2018-1	109	38	0	0

This Document Last Updated : OCT 15, 2019

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.