

**Recall Quarterly Report****18V-583**

**Manufacturer Name :** Eldorado National-Kansas  
**NHTSA Recall No. / MFR Recall No. :** 18V-583 /  
**Recall Subject :** Wheelchair Lift may Raise too High/FMVSS 403  
**Owner Notification Beginning Date :** OCT 24, 2018  
**Owner Notification End Date:** OCT 26, 2018



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
4	OCT 29, 2019	2019-3	244	132	0	0
3	JUL 19, 2019	2019-2	244	129	15	0
2	APR 26, 2019	2019-1	244	129	12	0
1	APR 26, 2019	2018-4	244	35	15	0

This Document Last Updated : OCT 29, 2019

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.