

Recall Quarterly Report**18V-583**

Manufacturer Name : Eldorado National-Kansas
NHTSA Recall No. / MFR Recall No. : 18V-583 /
Recall Subject : Wheelchair Lift may Raise too High/FMVSS 403
Owner Notification Beginning Date : OCT 24, 2018
Owner Notification End Date: OCT 26, 2018



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
5	JAN 30, 2020	2019-4	244	154	0	0
4	OCT 29, 2019	2019-3	244	132	0	0
3	JUL 19, 2019	2019-2	244	129	15	0
2	APR 26, 2019	2019-1	244	129	12	0
1	APR 26, 2019	2018-4	244	35	15	0

This Document Last Updated : JAN 31, 2020

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.