

Recall Quarterly Report**18V-603**

Manufacturer Name : Turtle Top
NHTSA Recall No. / MFR Recall No. : 18V-603 /
Recall Subject : Wheelchair Lift may Raise too High
Owner Notification Beginning Date : NOV 07, 2018
Owner Notification End Date: FEB 08, 2019



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
7	NOV 05, 2020	2020-2	180	75	0	0
6	MAY 11, 2020	2020-1	180	57	0	0
5	FEB 03, 2020	2019-4	180	51	0	0
4	NOV 11, 2019	2019-3	180	41	0	0
3	AUG 05, 2019	2019-2	180	35	0	0
2	JUL 09, 2019	2019-1	180	30	0	0
1	JUN 26, 2019	2018-4	180	25	0	0

This Document Last Updated : NOV 10, 2020

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.