

**Recall Quarterly Report****18V-603**

**Manufacturer Name :** Turtle Top  
**NHTSA Recall No. / MFR Recall No. :** 18V-603 /  
**Recall Subject :** Wheelchair Lift may Raise too High  
**Owner Notification Beginning Date :** NOV 07, 2018  
**Owner Notification End Date:** FEB 08, 2019



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
5	FEB 03, 2020	2019-4	180	51	0	0
4	NOV 11, 2019	2019-3	180	41	0	0
3	AUG 05, 2019	2019-2	180	35	0	0
2	JUL 09, 2019	2019-1	180	30	0	0
1	JUN 26, 2019	2018-4	180	25	0	0

This Document Last Updated : FEB 04, 2020

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.