

Recall Quarterly Report**18V-640**

Manufacturer Name : Forest River, Inc.
NHTSA Recall No. / MFR Recall No. : 18V-640 /51-0852
Recall Subject : Wheelchair Lift may Raise too High
Owner Notification Beginning Date : OCT 10, 2018
Owner Notification End Date: OCT 10, 2018



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	OCT 20, 2020	2020-3	1,525	47	0	0
7	JUL 21, 2020	2020-2	1,525	47	0	0
6	APR 14, 2020	2020-1	1,525	45	0	0
5	FEB 03, 2020	2019-4	1,525	41	0	0
4	OCT 22, 2019	2019-3	1,525	41	0	0
3	AUG 02, 2019	2019-2	1,525	25	0	0
2	AUG 02, 2019	2019-1	1,525	23	0	0
1	AUG 02, 2019	2018-4	1,525	0	0	0

This Document Last Updated : OCT 21, 2020

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.