

**Recall Quarterly Report****18V-640**

**Manufacturer Name :** Forest River, Inc.  
**NHTSA Recall No. / MFR Recall No. :** 18V-640 /51-0852  
**Recall Subject :** Wheelchair Lift may Raise too High  
**Owner Notification Beginning Date :** OCT 10, 2018  
**Owner Notification End Date:** OCT 10, 2018



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
7	JUL 21, 2020	2020-2	1,525	47	0	0
6	APR 14, 2020	2020-1	1,525	45	0	0
5	FEB 03, 2020	2019-4	1,525	41	0	0
4	OCT 22, 2019	2019-3	1,525	41	0	0
3	AUG 02, 2019	2019-2	1,525	25	0	0
2	AUG 02, 2019	2019-1	1,525	23	0	0
1	AUG 02, 2019	2018-4	1,525	0	0	0

This Document Last Updated : JUL 22, 2020

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.