

**Recall Quarterly Report****18V-722**

**Manufacturer Name :** Forest River, Inc.  
**NHTSA Recall No. / MFR Recall No. :** 18V-722 /05-0886  
**Recall Subject :** Knee Impact Area Foam Insufficient/FMVSS 222  
**Owner Notification Beginning Date :** NOV 01, 2018  
**Owner Notification End Date:** NOV 01, 2018



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
6	APR 14, 2020	2020-1	872	17	0	0
5	JAN 17, 2020	2019-4	872	16	0	0
4	OCT 21, 2019	2019-3	872	16	0	0
3	JUL 29, 2019	2019-2	872	16	0	0
2	APR 25, 2019	2019-1	872	16	0	0
1	JAN 16, 2019	2018-4	872	0	0	0

This Document Last Updated : APR 14, 2020

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.