

**Recall Quarterly Report****18V-832****Manufacturer Name :** Airstream, Inc.**NHTSA Recall No. / MFR Recall No. :** 18V-832 /**Recall Subject :** Incorrect Battery Cable Fuse may Overload Cable**Owner Notification Beginning Date :** JAN 08, 2019**Owner Notification End Date:** JAN 08, 2019

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
5	APR 08, 2020	2020-1	31	23	0	0
4	JAN 31, 2020	2019-4	31	23	0	0
3	OCT 31, 2019	2019-3	31	23	0	0
2	JUL 29, 2019	2019-2	31	23	0	0
1	APR 11, 2019	2019-1	31	17	0	0

This Document Last Updated : APR 08, 2020

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.