OMB Control No.: 2127-0004

Not sequential

# Part 573 Safety Recall Report

# 18V-056

**Manufacturer Name:** E-One Incorporated

Submission Date: JAN 19, 2018 NHTSA Recall No.: 18V-056 Manufacturer Recall No.: NR



#### **Manufacturer Information:**

Manufacturer Name: E-One Incorporated

Address: 1601 S.W. 37TH AVENUE

Ocala FL 34474

Company phone: (904) 237-1122

## **Population:**

Number of potentially involved : 196 Estimated percentage with defect : 10%

#### **Vehicle Information:**

Vehicle 1: 2005-2010 E-ONE TYPHOON

Vehicle Type: BUSES, MEDIUM & HEAVY VEHICLES

Body Style : ALL Power Train : DIESEL

Descriptive Information: Emergency vehicles equipped with IOTA brand 50 amp transfer switches, IOTA

manufacturer's model number ITS-50R.

Production Dates: JAN 01, 2005 - DEC 31, 2010

VIN Range 1: Begin: NR End: NR

Vehicle 2: 2005-2010 E-ONE CYCLONE 2

Vehicle Type: BUSES, MEDIUM & HEAVY VEHICLES

Body Style : ALL Power Train : DIESEL

Descriptive Information: Affected vehicles are equipped with an IOTA 50 Amp transfer switch, which is used to

switch power between on-vehicle generator and shoreline power

Production Dates: JAN 01, 2005 - DEC 31, 2010

Vehicle 3: 2005-2010 E-ONE X-036

Vehicle Type: BUSES, MEDIUM & HEAVY VEHICLES

Body Style : ALL Power Train : DIESEL

Descriptive Information: Affected vehicles are equipped with an IOTA 50 Amp transfer switch, which is used to

switch power between on-vehicle generator and shoreline power

Production Dates: JAN 01, 2005 - DEC 31, 2010

Vehicle 4: 2005-2010 E-ONE CYCLONE 3

Vehicle Type : Body Style :	BUSES, MEDIUM ALL	& HEAVY VEH	ICLES		
Power Train :	DIESEL				
Descriptive Information :				IOTA 50 Amp transfer sw erator and shoreline powe	
Production Dates :	JAN 01. 2005 - D	EC 31, 2010			
VIN Range 1:		NR	End:	NR.	☐ Not sequential
VII. Ivalige 1.	208		Ziid .		
Vehicle 5 ·	2005-2010 E-ON	JF SPCI			
	BUSES, MEDIUM		ICI ES		
Body Style:		I & IILAVI VLII	ICLLS		
o o					
Power Train :					
•	switch power be	tween on-vehic		IOTA 50 Amp transfer swerator and shoreline power	
Production Dates :	JAN 01, 2005 - D	EC 31, 2010			
VIN Range 1:	Begin:	NR	End:	NR	■ Not sequential
Vehicle 6:	2005-2010 E-ON	IE SPBE			
Vehicle Type :	BUSES, MEDIUM	& HEAVY VEH	ICLES		
Body Style :	ALL				
Power Train :					
		s are equinned	with an	IOTA 50 Amp transfer sw	itch which is used to
Descriptive information.	Affected vehicles	are equipped	willi an	IOIA SO AIID Haisiel Sw	
	switch nower be			-	
Duodustian Datas	_	tween on-vehic		erator and shoreline power	
Production Dates:	JAN 01, 2005 - D	tween on-vehic EC 31, 2010	cle gene	erator and shoreline powe	r
Production Dates : VIN Range 1 :	JAN 01, 2005 - D	tween on-vehic		erator and shoreline powe	
VIN Range 1:	JAN 01, 2005 - D Begin :	etween on-vehic EC 31, 2010 NR	cle gene	erator and shoreline powe	r
VIN Range 1 :  Vehicle 7 :	JAN 01, 2005 - Di Begin : 2005-2010 E-ON	etween on-vehic EC 31, 2010 NR JE FLM2	ele gene End :	erator and shoreline powe	r
VIN Range 1 :  Vehicle 7 :  Vehicle Type :	JAN 01, 2005 - D Begin : 2005-2010 E-ON BUSES, MEDIUM	etween on-vehic EC 31, 2010 NR JE FLM2	ele gene End :	erator and shoreline powe	r
VIN Range 1 :  Vehicle 7 :  Vehicle Type :  Body Style :	JAN 01, 2005 - Di Begin : 2005-2010 E-ON BUSES, MEDIUM ALL	etween on-vehic EC 31, 2010 NR JE FLM2	ele gene End :	erator and shoreline powe	r
VIN Range 1 :  Vehicle 7 :  Vehicle Type :	JAN 01, 2005 - Di Begin : 2005-2010 E-ON BUSES, MEDIUM ALL	etween on-vehic EC 31, 2010 NR JE FLM2	ele gene End :	erator and shoreline powe	r
VIN Range 1:  Vehicle 7:  Vehicle Type:  Body Style:  Power Train:	JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON BUSES, MEDIUM ALL DIESEL Affected vehicles	etween on-vehic EC 31, 2010 NR JE FLM2 & HEAVY VEH	End :  ICLES  with an	NR  IOTA 50 Amp transfer sw	n Not sequential Not sequential Itch, which is used to
VIN Range 1:  Vehicle 7: Vehicle Type: Body Style: Power Train: Descriptive Information:	JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON BUSES, MEDIUM ALL DIESEL Affected vehicles switch power be	etween on-vehic EC 31, 2010 NR WE FLM2 & HEAVY VEH So are equipped of tween on-vehic	End :  ICLES  with an	erator and shoreline power	n Not sequential Not sequential Itch, which is used to
VIN Range 1:  Vehicle 7: Vehicle Type: Body Style: Power Train: Descriptive Information:  Production Dates:	JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON BUSES, MEDIUM ALL DIESEL Affected vehicles switch power be JAN 01, 2005 - DEBEGING BUSES - DEBEGING BU	etween on-vehic EC 31, 2010 NR NE FLM2 & HEAVY VEH of are equipped of tween on-vehic EC 31, 2010	End:  ICLES  with an cle gene	NR  IOTA 50 Amp transfer swerator and shoreline power	n Not sequential  ☐ Not sequential  itch, which is used to r
VIN Range 1:  Vehicle 7: Vehicle Type: Body Style: Power Train: Descriptive Information:	JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON BUSES, MEDIUM ALL DIESEL Affected vehicles switch power be JAN 01, 2005 - DEBEGING BUSES - DEBEGING BU	etween on-vehic EC 31, 2010 NR WE FLM2 & HEAVY VEH So are equipped of tween on-vehic	End :  ICLES  with an	NR  IOTA 50 Amp transfer swerator and shoreline power	n Not sequential Not sequential Itch, which is used to
VIN Range 1:  Vehicle 7: Vehicle Type: Body Style: Power Train: Descriptive Information:  Production Dates: VIN Range 1:	JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON BUSES, MEDIUM ALL DIESEL Affected vehicles switch power be JAN 01, 2005 - DEBEGIN:	etween on-vehic EC 31, 2010 NR NE FLM2 I & HEAVY VEH Stare equipped of tween on-vehic EC 31, 2010 NR	End:  ICLES  with an cle gene	NR  IOTA 50 Amp transfer swerator and shoreline power	n Not sequential  ☐ Not sequential  itch, which is used to r
VIN Range 1:  Vehicle 7: Vehicle Type: Body Style: Power Train: Descriptive Information:  Production Dates: VIN Range 1:  Vehicle 8:	JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON BUSES, MEDIUM ALL DIESEL Affected vehicles switch power be JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON	etween on-vehic EC 31, 2010 NR NE FLM2 & HEAVY VEH stare equipped of tween on-vehic EC 31, 2010 NR	End:  ICLES  with an cle gene End:	NR  IOTA 50 Amp transfer swerator and shoreline power	n Not sequential  ☐ Not sequential  itch, which is used to r
VIN Range 1:  Vehicle 7: Vehicle Type: Body Style: Power Train: Descriptive Information:  Production Dates: VIN Range 1:  Vehicle 8: Vehicle Type:	JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON BUSES, MEDIUM ALL DIESEL Affected vehicles switch power be JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON BUSES, MEDIUM	etween on-vehic EC 31, 2010 NR NE FLM2 & HEAVY VEH stare equipped of tween on-vehic EC 31, 2010 NR	End:  ICLES  with an cle gene End:	NR  IOTA 50 Amp transfer swerator and shoreline power	n Not sequential  ☐ Not sequential  itch, which is used to r
VIN Range 1:  Vehicle 7: Vehicle Type: Body Style: Power Train: Descriptive Information:  Production Dates: VIN Range 1:  Vehicle 8: Vehicle Type: Body Style:	JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON BUSES, MEDIUM ALL DIESEL Affected vehicles switch power be JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON BUSES, MEDIUM ALL	etween on-vehic EC 31, 2010 NR NE FLM2 & HEAVY VEH stare equipped of tween on-vehic EC 31, 2010 NR	End:  ICLES  with an cle gene End:	NR  IOTA 50 Amp transfer swerator and shoreline power	n Not sequential  ☐ Not sequential  itch, which is used to r
VIN Range 1:  Vehicle 7: Vehicle Type: Body Style: Power Train: Descriptive Information:  Production Dates: VIN Range 1:  Vehicle 8: Vehicle Type:	JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON BUSES, MEDIUM ALL DIESEL Affected vehicles switch power be JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON BUSES, MEDIUM ALL	etween on-vehic EC 31, 2010 NR NE FLM2 & HEAVY VEH stare equipped of tween on-vehic EC 31, 2010 NR	End:  ICLES  with an cle gene End:	NR  IOTA 50 Amp transfer swerator and shoreline power	n Not sequential  ☐ Not sequential  itch, which is used to r
VIN Range 1:  Vehicle 7: Vehicle Type: Body Style: Power Train: Descriptive Information:  Production Dates: VIN Range 1:  Vehicle 8: Vehicle Type: Body Style: Power Train:	JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON BUSES, MEDIUM ALL DIESEL Affected vehicles switch power be JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON BUSES, MEDIUM ALL DIESEL Affected vehicles	etween on-vehice EC 31, 2010 NR NE FLM2 A HEAVY VEH ES are equipped of tween on-vehice EC 31, 2010 NR NE F550 A HEAVY VEH ES are equipped of tween on-vehice EC 31, 2010	End:  ICLES  with an cle generation in the gener	NR  IOTA 50 Amp transfer swerator and shoreline power	itch, which is used to  Not sequential  Not sequential
Vehicle 7: Vehicle Type: Body Style: Power Train: Descriptive Information:  Production Dates: VIN Range 1:  Vehicle 8: Vehicle Type: Body Style: Power Train: Descriptive Information:	JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON BUSES, MEDIUM ALL DIESEL Affected vehicles switch power be JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON BUSES, MEDIUM ALL DIESEL Affected vehicles switch power be switch power be	tween on-vehice EC 31, 2010 NR  WE FLM2  WE HEAVY VEH  Stare equipped of tween on-vehice EC 31, 2010 NR  WE F550  WE HEAVY VEH  Stare equipped of tween on-vehice EC 31, 2010 NR	End:  ICLES  with an cle generation in the gener	Prator and shoreline power  NR  IOTA 50 Amp transfer swerator and shoreline power  NR	itch, which is used to  Not sequential  Not sequential
VIN Range 1:  Vehicle 7: Vehicle Type: Body Style: Power Train: Descriptive Information:  Production Dates: VIN Range 1:  Vehicle 8: Vehicle Type: Body Style: Power Train:	JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON BUSES, MEDIUM ALL DIESEL Affected vehicles switch power be JAN 01, 2005 - DEBEGIN:  2005-2010 E-ON BUSES, MEDIUM ALL DIESEL Affected vehicles switch power be JAN 01, 2005 - DEBEGIN CONTROL OF THE PROPERTY OF THE PR	tween on-vehice EC 31, 2010 NR  WE FLM2  WE HEAVY VEH  Stare equipped of tween on-vehice EC 31, 2010 NR  WE F550  WE HEAVY VEH  Stare equipped of tween on-vehice EC 31, 2010 NR	End:  ICLES  with an cle generation in the gener	NR  IOTA 50 Amp transfer swerator and shoreline power  NR	itch, which is used to  Not sequential  Not sequential

Not sequential

Vehicle 9: 2005-2010 E-ONE I440

Vehicle Type: BUSES, MEDIUM & HEAVY VEHICLES

Body Style : ALL Power Train : DIESEL

Descriptive Information: Affected vehicles are equipped with an IOTA 50 Amp transfer switch, which is used to

switch power between on-vehicle generator and shoreline power

Production Dates: JAN 01, 2005 - DEC 31, 2010

VIN Range 1 : Begin : NR End : NR

Vehicle 10: 2005-2010 E-ONE I740

Vehicle Type: BUSES, MEDIUM & HEAVY VEHICLES

Body Style : ALL Power Train : DIESEL

Descriptive Information: Affected vehicles are equipped with an IOTA 50 Amp transfer switch, which is used to

switch power between on-vehicle generator and shoreline power

Production Dates : JAN 01, 2005 - DEC 31, 2010

#### **Description of Defect:**

Description of the Defect: Affected vehicles are equipped with an IOTA 50 Amp transfer switch, which is

used to switch power between on-vehicle generator and shoreline power. Under certain heavy duty cycles, these switches may experience loosening of

the lugs on the buss bar.

Under high electrical loads, loose electrical connections at the lugs can cause high heat which could damage the enclosure of the switch, and could lead to a

fire.

FMVSS 1: NR FMVSS 2: NR

Description of the Safety Risk: Under high electrical loads, loose electrical connections at the lugs can cause

high heat which could damage the enclosure of the switch, and could lead to a

fire.

Description of the Cause: Under certain heavy duty cycles, these switches may experience loosening of

the lugs on the buss bar.

Identification of Any Warning Smouldering, smoke, or "burning" smell, or possibly deformation of the

that can Occur: transfer switch case.

#### **Supplier Identification:**

#### **Component Manufacturer**

Name : IOTA Address : NR NR

Country: NR

# **Chronology:**

Dec 8, 2017 – E-ONE received a report of a burning smell emanating from a vehicle in the field. The specific vehicle was built in 2008. The Dealer reported that the smell originated from the IOTA transfer switch, located in the body of the truck (not in the CAB area).

Dec 2017 – E-ONE investigated the root cause, during which time it came to light that other manufacturers have conducted safety-related recalls on this specific switch.

Jan 2, 2018 – E-ONE decided that replacing the switch completely was the best course of action. A decision was made to recall the affected population.

## **Description of Remedy:**

 $Description \ of \ Remedy \ Program: \ E-One \ recommends \ replacement \ of \ the \ IOTA \ switch \ with \ a \ new \ switch$ 

made by POWERMAX. Vehicles subject to this recall are to be inspected and repaired by an E-ONE certified dealer or technician. E-ONE will compensate the dealer or owner for inspecting and replacing the IOTA transfer switch (IOTA model number ITS-50R), with a POWERMAX transfer switch (E-ONE part #538550) supplied free of charge if it has not already been replaced during normal maintenance. Replacement of each

transfer switch should take approximately 2 hours.

How Remedy Component Differs The new switch will be a POWERMAX (E-ONE part number 538550).

from Recalled Component :

Identify How/When Recall Condition The IOTA transfer switch was discontinued by the manufacturer in 2010.

was Corrected in Production: At that time E-ONE switched to POWERMAX.

#### **Recall Schedule:**

Description of Recall Schedule: Email dealers copies of the recall letter.

Direct mail copies of the recall letter to customers.

Planned Dealer Notification Date: MAR 01, 2018 - MAR 05, 2018 Planned Owner Notification Date: MAR 05, 2018 - MAR 09, 2018

\* NR - Not Reported