

Part 573 Safety Recall Report

18V-246

Manufacturer Name : Riverside RV**Submission Date :** JUN 08, 2018**NHTSA Recall No. :** 18V-246**Manufacturer Recall No. :** NR**Manufacturer Information :**

Manufacturer Name : Riverside RV
Address : 1775 E US 20
 Lagrange IN 46761
Company phone : 260-499-4578

Population :

Number of potentially involved : 2,000
Estimated percentage with defect : 100 %

Vehicle Information :**Vehicle 1 :** 2015-2017 Riverside RV All**Vehicle Type :** TRAILERS**Body Style :****Power Train :** NR

Descriptive Information : Kiide has filed a recall for certain models of fire extinguishers that they manufacture and the we have used in units that we have produced from 06/01/2015 to 10/15/2017.

Production Dates : JUN 01, 2015 - OCT 15, 2017**VIN Range 1 : Begin :**

NR

End : NR Not sequential**Description of Defect :**

Description of the Defect : This recall was implemented because Kidde determined that certain fire extinguishers can become clogged or require excessive force to activate, posing a risk of failure to discharge. In addition, the nozzle can detach with enough force to pose an impact hazard.

FMVSS 1 : NR**FMVSS 2 :** NR

Description of the Safety Risk : The nozzle can detach with enough force to pose an impact hazard and the clodding can cause product failure.

Description of the Cause : NR

Identification of Any Warning that can Occur : NR

Supplier Identification :

Component Manufacturer

Name : Kidde
Address : NR
Mebaine NORTH CAROLINA
Country : United States

Chronology :

November 7, 2017, we received notification from Kiddie that they had notified our supplier of their recall on some specific models of fire extinguishers. 2 of the part numbers for these extinguishers were 2 that we had purchased from a Kidde distributor for production of our RV's.

Description of Remedy :

Description of Remedy Program : We are sending out notification letters to all dealers and retail customers that have purchased out units where these fire extinguishers were used and notifying them on how to have their fire extinguisher replaced.

How Remedy Component Differs from Recalled Component : NR

Identify How/When Recall Condition was Corrected in Production : NR

Recall Schedule :

Description of Recall Schedule : NR

Planned Dealer Notification Date : APR 20, 2018 - JUN 06, 2018

Planned Owner Notification Date : APR 20, 2018 - JUN 06, 2018

* NR - Not Reported