

Part 573 Safety Recall Report

18V-676

Manufacturer Name : Midwest Fire Equipment & Repair Company**Submission Date :** OCT 18, 2018**NHTSA Recall No. :** 18V-676**Manufacturer Recall No. :** NR**Manufacturer Information :****Population :****Manufacturer Name :** Midwest Fire Equipment & Repair Company**Number of potentially involved :** 106**Address :** 901 Commerce Road**Estimated percentage with defect :** 100 %

PO Box 524 Luverne MN 56156

Company phone : 507-283-9141**Vehicle Information :****Vehicle 1 :** 2014-2019 Midwest Fire All-Poly Series**Vehicle Type :** BUSES, MEDIUM & HEAVY VEHICLES**Body Style :****Power Train :** NR**Descriptive Information :** This is related to Hale NHTSA Recall 16-E046. There are a total of 106 vehicles that had Class 1 part number 2070-053-00-CL1-FMK U700, Ultraview Display 7".**Production Dates :** MAR 01, 2014 - AUG 31, 2018**VIN Range 1 : Begin :**

NR

End : NR☐ Not sequential**Description of Defect :****Description of the Defect :** The touchscreen feature on these UltraView Displays has experienced unintentional activations in some installations.**FMVSS 1 :** NR**FMVSS 2 :** NR**Description of the Safety Risk :** Certain touchscreen configurations could have an effect on vehicle systems or sub-systems, which may potentially increase the chance of an accident or injury. On most vehicles affected by this condition it has been found that random functions on the main screen may be energized, in most cases the warning lights have been randomly turned on or off.**Description of the Cause :** NR**Identification of Any Warning that can Occur :** NR

Supplier Identification :**Component Manufacturer**

Name : Hale Products, Inc
Address : 607 NW 27th Avenue
Ocala FLORIDA 34475
Country : United States

Chronology :

NR

Description of Remedy :

Description of Remedy Program : Parts are available for this fix and Midwest Fire will ship them out to customer at no additional charge. The fix is fairly simple, as outlined in TSB 0003 which will be available in the parts kit. Midwest Fire will send out a cable, flash drive and programming instructions (TSB 003) to the customer at no charge.

How Remedy Component Differs from Recalled Component : NR

Identify How/When Recall Condition was Corrected in Production : NR

Recall Schedule :

Description of Recall Schedule : We will send out the 106 vehicles recalls over the course of one month (October). Midwest Fire does not have any dealers, all recalls will be sent directly to the customer.

Planned Dealer Notification Date : NR - NR

Planned Owner Notification Date : OCT 01, 2018 - OCT 31, 2018

* NR - Not Reported