

# IMPORTANT SAFETY RECALL



DEPARTMENT OF COMPLIANCE  
VEHICLE SAFETY AND RECALL MANAGEMENT  
BUILDING 11  
423 N MAIN ST  
MIDDLEBURY, INDIANA 46540-9218

NHTSA RECALL: 18V246

59CCC1 [REDACTED]

- o Integrity
- o Safety
- o Quality
- o Customer Service

April 11, 2018

Dear Riverside RV, Inc. Customer:


This Notice applies to your vehicle VIN listed above.

This notice is sent to you in accordance with the requirements of the National Traffic and Motor Vehicle Safety Act. Riverside RV, Inc. has decided that a defect, which relates to the motor vehicle safety, exists in certain Model Year 2002 - 2018 Riverside RV, Inc. vehicles. These vehicles may include a portable fire extinguisher manufactured by Kidde.


## WHAT IS THE CONDITION

Two models of Kidde fire extinguishers are impacted by this recall:

1. Fire Extinguishers with Plastic Handles: These fire extinguishers may become clogged or require excessive force to activate. According to Kidde, this may occur when the user depresses and quickly releases the lever. Additionally, the nozzles of these fire extinguishers may detach from the valve assembly. The nozzle may detach with enough force that it could cause injury and fail to discharge.



2. Indicator/Push Button Fire Extinguishers: Excessive force may be required to activate the fire extinguisher.



If the fire extinguisher experiences one of the conditions described above, it may not function properly, creating an increased risk of injury in the event of a fire.