

Recall Quarterly Report**19E-067****Manufacturer Name :** Ziamatic Corp**NHTSA Recall No. / MFR Recall No. :** 19E-067 /**Recall Subject :** Bracket May Allow Oxygen Tank to Detach**Owner Notification Beginning Date :** OCT 07, 2019**Owner Notification End Date:** OCT 09, 2019

| Report # | Submission Date | Report Quarter | Recall Population | Total Remedied | Total Unreachable | Total Removed |
|----------|-----------------|----------------|-------------------|----------------|-------------------|---------------|
| 5 | APR 13, 2021 | 2020-4 | 207 | 52 | 0 | 52 |
| 4 | APR 06, 2021 | 2020-3 | 207 | 52 | 0 | 52 |
| 3 | APR 06, 2021 | 2020-2 | 207 | 52 | 0 | 52 |
| 2 | APR 06, 2021 | 2020-1 | 207 | 48 | 0 | 48 |
| 1 | APR 06, 2021 | 2019-4 | 207 | 39 | 0 | 39 |

This Document Last Updated : APR 14, 2021

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.