

# Recall Quarterly Report

# 19E-067

**Manufacturer Name :** Ziamatic Corp

**NHTSA Recall No. / MFR Recall No. :** 19E-067 /

**Recall Subject :** Bracket May Allow Oxygen Tank to Detach

**Owner Notification Beginning Date :** OCT 07, 2019

**Owner Notification End Date:** OCT 09, 2019



## Quarterly Reports

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
19	JUL 01, 2024	2024-2	207	61	0	73
18	APR 03, 2024	2024-1	207	61	0	73
17	JAN 11, 2024	2023-4	207	61	0	73
16	OCT 19, 2023	2023-3	207	61	0	73
15	JUL 06, 2023	2023-2	207	61	0	73
14	APR 03, 2023	2023-1	207	61	0	73
13	MAR 23, 2023	2022-4	207	61	0	73
12	SEP 22, 2022	2022-3	207	61	0	61
11	AUG 09, 2022	2022-2	207	61	0	61
10	JUL 11, 2022	2022-1	207	61	0	61
9	APR 07, 2022	2021-4	207	61	0	61
8	NOV 30, 2021	2021-3	207	61	0	61
7	JUL 15, 2021	2021-2	207	58	0	58
6	MAY 03, 2021	2021-1	207	52	0	52
5	APR 13, 2021	2020-4	207	52	0	52
4	APR 06, 2021	2020-3	207	52	0	52
3	APR 06, 2021	2020-2	207	52	0	52
2	APR 06, 2021	2020-1	207	48	0	48
1	APR 06, 2021	2019-4	207	39	0	39

This Document Last Updated : JUL 01, 2024

**Definitions :**

Reporting Period: The reporting period is the manufacturer is reporting recall completion figures.

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.