

# Recall Quarterly Report

# 19E-078

**Manufacturer Name :** Ioxus Corporation  
**NHTSA Recall No. / MFR Recall No. :** 19E-078 /  
**Recall Subject :** Internal Short Circuit Can Cause Fire  
**Owner Notification Beginning Date :** JAN 02, 2020  
**Owner Notification End Date:** JAN 02, 2020



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
6	JUL 30, 2021	2021-2	7,892	6,793	0	0
5	APR 22, 2021	2021-1	7,892	6,686	0	0
4	JAN 07, 2021	2020-4	7,892	6,538	0	0
3	OCT 06, 2020	2020-3	7,892	6,402	0	0
2	JUL 27, 2020	2020-2	7,892	6,316	0	0
1	APR 28, 2020	2020-1	7,892	5,966	0	0

This Document Last Updated : AUG 02, 2021

## Definitions :

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.