

Recall Quarterly Report**19V-050****Manufacturer Name :** Forest River, Inc.**NHTSA Recall No. / MFR Recall No. :** 19V-050 /45-0931**Recall Subject :** Lack of Propane and Carbon Monoxide Detector**Owner Notification Beginning Date :** FEB 06, 2019**Owner Notification End Date:** FEB 06, 2019

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	JAN 20, 2021	2020-4	7	2	0	0
7	OCT 20, 2020	2020-3	7	2	0	0
6	JUL 21, 2020	2020-2	7	2	0	0
5	APR 13, 2020	2020-1	7	2	0	0
4	JAN 17, 2020	2019-4	7	0	0	0
3	OCT 21, 2019	2019-3	7	0	0	0
2	JUL 29, 2019	2019-2	7	0	0	0
1	APR 17, 2019	2019-1	7	0	0	0

This Document Last Updated : JAN 21, 2021

Definitions :Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.