

Recall Quarterly Report

19V-102

Manufacturer Name : Eldorado National-Kansas
NHTSA Recall No. / MFR Recall No. : 19V-102 /
Recall Subject : Wheelchair Lift may Raise too High/FMVSS 403
Owner Notification Beginning Date : MAR 29, 2019
Owner Notification End Date: APR 02, 2019



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
6	JUL 02, 2020	2020-2	73	38	0	0
5	APR 15, 2020	2020-1	73	38	0	0
4	JAN 30, 2020	2019-4	73	38	0	0
3	OCT 29, 2019	2019-3	73	0	0	0
2	JUL 19, 2019	2019-2	73	0	4	0
1	APR 22, 2019	2019-1	73	0	0	0

This Document Last Updated : JUL 02, 2020

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.