

Recall Quarterly Report**19V-116**

Manufacturer Name : Winnebago Industries, Inc
NHTSA Recall No. / MFR Recall No. : 19V-116 /157
Recall Subject : Wheelchair Lift may Raise too High/FMVSS 403
Owner Notification Beginning Date : FEB 26, 2019
Owner Notification End Date: FEB 28, 2019



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
5	APR 01, 2020	2020-1	2	2	0	0
4	DEC 31, 2019	2019-4	2	0	0	0
3	SEP 30, 2019	2019-3	2	0	0	0
2	JUL 03, 2019	2019-2	2	0	0	0
1	JUN 17, 2019	2019-1	2	0	0	0

This Document Last Updated : APR 01, 2020

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.