

Recall Quarterly Report**19V-336****Manufacturer Name :** Forest River, Inc.**NHTSA Recall No. / MFR Recall No. :** 19V-336 /225-1003**Recall Subject :** Undersized Wiring on Unprotected Circuit**Owner Notification Beginning Date :** MAY 20, 2019**Owner Notification End Date:** MAY 20, 2019

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
6	OCT 20, 2020	2020-3	100	63	0	0
5	JUL 21, 2020	2020-2	100	57	0	0
4	APR 13, 2020	2020-1	100	55	0	0
3	JAN 17, 2020	2019-4	100	43	0	0
2	OCT 21, 2019	2019-3	100	30	0	0
1	JUL 29, 2019	2019-2	100	0	0	0

This Document Last Updated : OCT 21, 2020

Definitions :Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.