

Recall Quarterly Report**19V-336****Manufacturer Name :** Forest River, Inc.**NHTSA Recall No. / MFR Recall No. :** 19V-336 /225-1003**Recall Subject :** Undersized Wiring on Unprotected Circuit**Owner Notification Beginning Date :** MAY 20, 2019**Owner Notification End Date:** MAY 20, 2019

| Report # | Submission Date | Report Quarter | Recall Population | Total Remedied | Total Unreachable | Total Removed |
|----------|-----------------|----------------|-------------------|----------------|-------------------|---------------|
| 4 | APR 13, 2020 | 2020-1 | 100 | 55 | 0 | 0 |
| 3 | JAN 17, 2020 | 2019-4 | 100 | 43 | 0 | 0 |
| 2 | OCT 21, 2019 | 2019-3 | 100 | 30 | 0 | 0 |
| 1 | JUL 29, 2019 | 2019-2 | 100 | 0 | 0 | 0 |

This Document Last Updated : APR 13, 2020

Definitions :Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.