

**Recall Quarterly Report****19V-427**

**Manufacturer Name :** Forest River, Inc.  
**NHTSA Recall No. / MFR Recall No. :** 19V-427 /05-1029  
**Recall Subject :** Missing Egress Windows  
**Owner Notification Beginning Date :** JUN 24, 2019  
**Owner Notification End Date:** JUN 24, 2019



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
5	JUL 21, 2020	2020-2	46	44	0	0
4	APR 16, 2020	2020-1	46	44	0	0
3	JAN 17, 2020	2019-4	46	44	0	0
2	OCT 21, 2019	2019-3	46	44	0	0
1	JUL 29, 2019	2019-2	46	0	0	0

This Document Last Updated : JUL 21, 2020

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.