

# Recall Quarterly Report

# 19V-520

**Manufacturer Name :** Corp. Micro Bird, Inc.  
**NHTSA Recall No. / MFR Recall No. :** 19V-520 /  
**Recall Subject :** Ground Wire May Short-Circuit and Cause Fire  
**Owner Notification Beginning Date :** AUG 06, 2019  
**Owner Notification End Date:** AUG 08, 2019



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
6	JAN 12, 2021	2020-4	52	32	0	0
5	OCT 21, 2020	2020-3	52	32	0	0
4	JUL 08, 2020	2020-2	52	32	0	0
3	APR 17, 2020	2020-1	52	32	0	0
2	JAN 16, 2020	2019-4	52	32	0	0
1	OCT 23, 2019	2019-3	52	0	0	0

This Document Last Updated : JAN 12, 2021

## Definitions :

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.