

Recall Quarterly Report

19V-668

Manufacturer Name : Forest River, Inc.

NHTSA Recall No. / MFR Recall No. : 19V-668 / 17D-1089

Recall Subject : Distribution Panel Wiring Can Cause Fire

Owner Notification Beginning Date : OCT 09, 2019

Owner Notification End Date: OCT 11, 2019



Quarterly Reports

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
22	APR 08, 2025	2025-1	53	29	3	0
21	JAN 23, 2025	2024-4	53	29	3	0
20	OCT 24, 2024	2024-3	53	27	3	0
19	OCT 24, 2024	2024-2	53	27	3	0
18	OCT 24, 2024	2024-1	53	25	3	0
17	OCT 24, 2024	2023-4	53	24	3	0
16	OCT 24, 2024	2023-3	53	24	3	0
15	OCT 24, 2024	2023-2	53	24	3	0
14	OCT 24, 2024	2023-1	53	24	3	0
13	OCT 24, 2024	2022-4	53	24	3	0
12	OCT 24, 2024	2022-3	53	24	3	0
11	OCT 24, 2024	2022-2	53	24	3	0
10	OCT 24, 2024	2022-1	53	24	3	0
9	APR 29, 2022	2021-4	53	24	3	0
8	APR 29, 2022	2021-3	53	23	3	0
7	JUL 13, 2021	2021-2	53	23	3	0
6	APR 14, 2021	2021-1	53	23	3	0
5	JAN 20, 2021	2020-4	53	22	3	0
4	OCT 20, 2020	2020-3	53	20	3	0
3	JUL 21, 2020	2020-2	53	16	0	0
2	APR 13, 2020	2020-1	53	16	0	0
1	JAN 17, 2020	2019-4	53	15	0	0

This Document Last Updated : APR 10, 2025

Definitions :

Reporting Period: The reporting period is the manufacturer is reporting recall completion figures.

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.