

Recall Quarterly Report**19V-750**

Manufacturer Name : Polaris, Inc.
NHTSA Recall No. / MFR Recall No. : 19V-750 /T-19-01
Recall Subject : Excessive Current may Damage Fuse Holder
Owner Notification Beginning Date : OCT 24, 2019
Owner Notification End Date: OCT 25, 2019



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
6	APR 21, 2021	2021-1	31,987	14,012	0	0
5	JAN 26, 2021	2020-4	31,987	13,097	0	0
4	OCT 28, 2020	2020-3	31,987	12,832	0	0
3	JUL 21, 2020	2020-2	31,987	10,196	0	0
2	APR 29, 2020	2020-1	31,987	6,558	0	0
1	FEB 17, 2020	2019-4	31,987	5,139	0	0

This Document Last Updated : APR 23, 2021

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.