

Recall Quarterly Report**19V-772****Manufacturer Name :** Forest River, Inc.**NHTSA Recall No. / MFR Recall No. :** 19V-772 /37-1108**Recall Subject :** Refrigerator Fuse may be Incorrect**Owner Notification Beginning Date :** NOV 07, 2019**Owner Notification End Date:** NOV 07, 2019

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
5	JAN 20, 2021	2020-4	19	13	1	0
4	OCT 20, 2020	2020-3	19	13	1	0
3	JUL 21, 2020	2020-2	19	11	0	0
2	APR 13, 2020	2020-1	19	10	0	0
1	JAN 17, 2020	2019-4	19	4	0	0

This Document Last Updated : JAN 21, 2021

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.