

**Recall Quarterly Report****20E-015**

**Manufacturer Name :** Carrier Corporation  
**NHTSA Recall No. / MFR Recall No. :** 20E-015 /R-968  
**Recall Subject :** Improperly Routed Generator Harness  
**Owner Notification Beginning Date :** APR 22, 2020  
**Owner Notification End Date:** NOV 04, 2020



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	DEC 03, 2023	2022-1	107	76	0	0
7	DEC 03, 2023	2021-4	107	76	0	0
6	OCT 18, 2021	2021-3	107	63	0	0
5	JUL 22, 2021	2021-2	107	63	0	0
4	MAY 18, 2021	2021-1	107	58	0	0
3	MAY 18, 2021	2020-4	107	43	0	0
2	NOV 16, 2020	2020-3	107	28	0	0
1	JUL 29, 2020	2020-2	28	5	0	0

This Document Last Updated : DEC 04, 2023

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.