

**Recall Quarterly Report****20E-072**

**Manufacturer Name :** Spartan Fire, LLC  
**NHTSA Recall No. / MFR Recall No. :** 20E-072 /  
**Recall Subject :** Service Gauge Not Compatible with APS System  
**Owner Notification Beginning Date :** NOV 23, 2020  
**Owner Notification End Date:** NOV 30, 2020



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
6	APR 29, 2022	2022-1	10	0	0	6
5	JAN 28, 2022	2021-4	10	0	0	6
4	OCT 29, 2021	2021-3	10	0	0	6
3	JUL 30, 2021	2021-2	10	0	0	6
2	APR 02, 2021	2021-1	10	0	0	6
1	JAN 29, 2021	2020-4	10	0	0	6

This Document Last Updated : MAY 02, 2022

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.