

**Recall Quarterly Report****20E-088**

**Manufacturer Name :** Weldon Division of Akron Brass  
**NHTSA Recall No. / MFR Recall No. :** 20E-088 /TSB 20-12  
**Recall Subject :** Incorrect Processor Power Voltage  
**Owner Notification Beginning Date :** DEC 08, 2020  
**Owner Notification End Date:** DEC 31, 2020



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
5	FEB 10, 2022	2021-4	538	361	0	0
4	FEB 10, 2022	2021-3	538	294	0	0
3	FEB 10, 2022	2021-2	538	255	0	0
2	FEB 10, 2022	2021-1	538	163	0	0
1	APR 05, 2021	2020-4	538	152	0	0

This Document Last Updated : FEB 11, 2022

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.