

Recall Quarterly Report

20E-088

Manufacturer Name : Weldon Division of Akron Brass
NHTSA Recall No. / MFR Recall No. : 20E-088 / TSB 20-12
Recall Subject : Incorrect Processor Power Voltage
Owner Notification Beginning Date : DEC 08, 2020
Owner Notification End Date: DEC 31, 2020



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
7	OCT 05, 2022	2022-2	538	440	0	0
6	OCT 05, 2022	2022-1	538	401	0	0
5	FEB 10, 2022	2021-4	538	361	0	0
4	FEB 10, 2022	2021-3	538	294	0	0
3	FEB 10, 2022	2021-2	538	255	0	0
2	FEB 10, 2022	2021-1	538	163	0	0
1	APR 05, 2021	2020-4	538	152	0	0

This Document Last Updated : OCT 05, 2022

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.