

Recall Quarterly Report**20V-131**

Manufacturer Name : Halcore Group, Inc.
NHTSA Recall No. / MFR Recall No. : 20V-131 /
Recall Subject : Undersized A/C Input Power Cord May Cause Short
Owner Notification Beginning Date : APR 27, 2020
Owner Notification End Date: APR 30, 2020



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
9	AUG 31, 2022	2022-2	8	7	0	0
8	AUG 31, 2022	2022-1	8	7	0	0
7	AUG 31, 2022	2021-4	8	7	0	0
6	AUG 31, 2022	2021-3	8	7	0	0
5	JUL 30, 2021	2021-2	8	7	0	0
4	JUN 22, 2021	2021-1	8	5	0	0
3	FEB 23, 2021	2020-4	8	3	0	0
2	SEP 23, 2020	2020-3	8	2	0	0
1	AUG 06, 2020	2020-2	8	2	0	0

This Document Last Updated : SEP 01, 2022

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.