

**Recall Quarterly Report****20V-266**

**Manufacturer Name :** Blue Bird Body Company  
**NHTSA Recall No. / MFR Recall No. :** 20V-266 /R20AR-SB  
**Recall Subject :** Incorrectly Installed A/C Circuit Breaker  
**Owner Notification Beginning Date :** JUL 06, 2020  
**Owner Notification End Date:** JUL 06, 2020



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
9	OCT 03, 2022	2022-3	1,239	985	0	0
8	JUL 01, 2022	2022-2	1,239	978	0	0
7	APR 01, 2022	2022-1	1,239	973	0	0
6	JAN 03, 2022	2021-4	1,239	942	0	0
5	OCT 01, 2021	2021-3	1,239	899	0	0
4	JUL 01, 2021	2021-2	1,239	775	0	0
3	MAR 31, 2021	2021-1	1,239	726	0	0
2	JAN 04, 2021	2020-4	1,239	641	0	0
1	OCT 02, 2020	2020-3	1,239	461	0	0

This Document Last Updated : OCT 03, 2022

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.