

**Recall Quarterly Report****20V-540****Manufacturer Name :** Forest River, Inc.**NHTSA Recall No. / MFR Recall No. :** 20V-540 /40-1225**Recall Subject :** Inverter Allows Too Much Current To 10 Gauge Wire**Owner Notification Beginning Date :** SEP 24, 2020**Owner Notification End Date:** SEP 25, 2020

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
7	APR 28, 2022	2022-1	22	14	0	0
6	JAN 30, 2022	2021-4	22	14	0	0
5	OCT 25, 2021	2021-3	22	13	0	0
4	JUL 12, 2021	2021-2	22	13	0	0
3	APR 06, 2021	2021-1	22	12	0	0
2	JAN 13, 2021	2020-4	22	7	0	0
1	OCT 20, 2020	2020-3	22	0	0	0

This Document Last Updated : APR 29, 2022

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.