

**Recall Quarterly Report****20V-654****Manufacturer Name :** Forest River, Inc.**NHTSA Recall No. / MFR Recall No. :** 20V-654 /17D-1201**Recall Subject :** Shore Cord Inlet Wiring Insulation May Cause Fire**Owner Notification Beginning Date :** NOV 23, 2020**Owner Notification End Date:** NOV 25, 2020

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	OCT 19, 2022	2022-3	9,261	3,242	9	0
7	JUL 13, 2022	2022-2	9,261	3,196	9	0
6	JUL 13, 2022	2022-1	9,261	3,116	9	0
5	JAN 30, 2022	2021-4	9,261	3,008	10	0
4	OCT 25, 2021	2021-3	9,261	2,776	0	0
3	JUL 12, 2021	2021-2	9,261	2,409	0	0
2	APR 06, 2021	2021-1	9,261	1,078	0	0
1	JAN 18, 2021	2020-4	9,261	102	0	0

This Document Last Updated : OCT 20, 2022

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.