

Part 573 Safety Recall Report

20V-493

Manufacturer Name : Foretravel, Inc.**Submission Date :** AUG 20, 2020**NHTSA Recall No. :** 20V-493**Manufacturer Recall No. :** NR**Manufacturer Information :**

Manufacturer Name : Foretravel, Inc.

Address : 1221 N.W. Stallings Drive
Nacogdoches TX 75964

Company phone : 936-564-8367

Population :

Number of potentially involved : 6

Estimated percentage with defect : NR

Vehicle Information :

Vehicle 1 : 2020-2020 Foretravel iC-37

Vehicle Type : BUSES, MEDIUM & HEAVY VEHICLES

Body Style : OTHER

Power Train : DIESEL

Descriptive Information : 2020 Foretravel iC-37 units 7101 to 7107 were equipped with Outback Inverters that required an external ground neutral bond.
2020 Foretravel iC-37 units 7108 to 7113 were equipped with Xantrex Inverters that have an internal ground neutral bond. All six units affected have been inspected and repairs completed.

Production Dates : AUG 31, 2019 - DEC 31, 2019

VIN Range 1 : Begin : 4UZAT1D99LC087151 End : 4VZAT1D92LC087556 Not sequential**Description of Defect :**

Description of the Defect : iC-37 Ground Neutral Relay with Xantrex Inverter

1.0 Description of Affected Products:

1.1 iC-37 Units

1.2 Unit Numbers: 7108-7113

2.0 Issue: There should only be one ground/neutral bond in the 120v/240v system. Xantrex inverters have an internal bond when inverting so the ground /neutral relay is not needed.

FMVSS 1 : NR

FMVSS 2 : NR

Description of the Safety Risk : Having more than one ground/neutral bond in a system creates the possibility of electrical shock when making contact with the metal surfaces of the coach. Repairs to all six units have been completed.

Description of the Cause : NR

Identification of Any Warning NR
that can Occur :

Involved Components :

Component Name 1 : NR

Component Description : NR

Component Part Number : NR

Supplier Identification :

Component Manufacturer

Name : NR

Address : NR

NR

Country : NR

Chronology :

NR

Description of Remedy :

Description of Remedy Program : NR

How Remedy Component Differs NR
from Recalled Component :

Identify How/When Recall Condition NR
was Corrected in Production :

Recall Schedule :

Description of Recall Schedule : NR

Planned Dealer Notification Date : NR - NR

Planned Owner Notification Date : NR - NR

* NR - Not Reported