

Recall Annual Report**20V-360****Manufacturer Name :** Forest River, Inc.**NHTSA Recall No. / MFR Recall No. :** 20V-360 /47-1175**Recall Subject :** Furnace May Not Be Properly Secured Inside Cabinet**Owner Notification Beginning Date :** JUL 01, 2020**Owner Notification End Date:** JUL 01, 2020**Annual Reports**

Report #	Submission Date	Report Year	Recall Population	Total Remedied	Total Unreachable	Total Removed
1	JUL 25, 2023	2023	176	44	1	0

Quarterly Reports

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
9	OCT 20, 2022	2022-3	176	43	1	0
8	JUL 13, 2022	2022-2	176	43	1	0
7	JUL 13, 2022	2022-1	176	42	1	0
6	JAN 30, 2022	2021-4	176	41	1	0
5	OCT 25, 2021	2021-3	176	39	0	0
4	JUL 12, 2021	2021-2	176	37	0	0
3	APR 09, 2021	2021-1	176	33	1	0
2	JAN 20, 2021	2020-4	176	20	1	0
1	OCT 20, 2020	2020-3	176	16	0	0

This Document Last Updated : JUL 25, 2023

Definitions :

Report Year : The report year the manufacturer is reporting recall completion figures.

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.