

Recall Annual Report**20V-371****Manufacturer Name :** Forest River, Inc.**NHTSA Recall No. / MFR Recall No. :** 20V-371 /51-1150**Recall Subject :** Frameless Window Glass Panels May Detach**Owner Notification Beginning Date :** JUL 15, 2020**Owner Notification End Date:** JUL 21, 2020**Annual Reports**

Report #	Submission Date	Report Year	Recall Population	Total Remedied	Total Unreachable	Total Removed
1	JUL 25, 2023	2023	732	293	0	0

Quarterly Reports

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	JUL 21, 2022	2022-2	732	280	0	0
7	APR 28, 2022	2022-1	732	273	0	0
6	JAN 30, 2022	2021-4	732	269	0	0
5	OCT 25, 2021	2021-3	732	260	0	0
4	JUL 15, 2021	2021-2	732	248	0	0
3	APR 21, 2021	2021-1	732	227	0	0
2	JAN 20, 2021	2020-4	732	199	0	0
1	OCT 20, 2020	2020-3	732	93	0	0

This Document Last Updated : JUL 25, 2023

Definitions :**Report Year :** The report year the manufacturer is reporting recall completion figures.**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).**Recall Population :** The total number of products recalled by the manufacturer.**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.**Total Removed :** Products that have been scrapped, stolen, or exported.