

# Recall Annual Report

# 20V610



U.S. Department  
of Transportation  
  
National Highway  
Traffic Safety  
Administration

**Manufacturer Name:** Corp. Micro Bird, Inc.

**NHTSA Recall No. / MFR Recall No.:** 20V610 / 20-085-PUS

**Recall Subject:** Propane Module May Short Circuit

**Owner Notification Beginning Date:** Dec 01, 2020

## Annual Reports

Report #	Submission Date	Update Date	Reporting Period	Recall Population	Total Remedied	Total Unreachable	Total Removed
3	Oct 24, 2025	Oct 24, 2025	2024-4 to 2025-3	75	25	0	0
2	Oct 17, 2024	Oct 17, 2024	2023-4 to 2024-3	75	25	0	0
1	Nov 23, 2023	Nov 28, 2023	2022-4 to 2023-3	75	19	0	0

## Quarterly Reports

Report #	Submission Date	Update Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	Nov 20, 2023	Nov 22, 2023	2022-3	75	1	0	0
7	Nov 20, 2023	Nov 22, 2023	2022-2	75	1	0	0
6	Apr 11, 2022	Apr 13, 2022	2022-1	75	0	0	0
5	Jan 12, 2022	Jan 12, 2022	2021-4	75	0	0	0
4	Oct 07, 2021	Oct 12, 2021	2021-3	75	0	0	0
3	Jul 07, 2021	Jul 07, 2021	2021-2	75	0	0	0
2	Apr 12, 2021	Apr 14, 2021	2021-1	75	0	0	0
1	Jan 12, 2021	Jan 12, 2021	2020-4	75	0	0	0

This document last updated: Oct 27, 2025

### Definitions:

**Reporting Period:** The reporting period the manufacturer is reporting recall completion figures.

**Report Quarter:** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

**Recall Population:** The total number of products recalled by the manufacturer.

**Total Remedied:** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable:** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed:** Products that have been scrapped, stolen, or exported.

