

Recall Annual Report**20V-654****Manufacturer Name :** Forest River, Inc.**NHTSA Recall No. / MFR Recall No. :** 20V-654 /17D-1201**Recall Subject :** Shore Cord Inlet Wiring Insulation May Cause Fire**Owner Notification Beginning Date :** NOV 23, 2020**Owner Notification End Date:** NOV 25, 2020**Annual Reports**

Report #	Submission Date	Reporting Period	Recall Population	Total Remedied	Total Unreachable	Total Removed
2	OCT 24, 2024	2023-4 to 2024-3	9,261	3,858	0	0
1	OCT 17, 2023	2022-4 to 2023-3	9,261	3,448	0	0

Quarterly Reports

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
16	OCT 24, 2024	2024-3	9,261	3,858	9	0
15	JUL 26, 2024	2024-2	9,261	3,548	9	0
14	JUL 26, 2024	2024-1	9,261	3,493	0	0
13	JUL 26, 2024	2023-4	9,261	3,469	9	0
12	JUL 26, 2024	2023-3	9,261	3,448	9	0
11	JUL 26, 2024	2023-2	9,261	3,408	9	0
10	JUL 26, 2024	2023-1	9,261	3,358	9	0
9	JAN 30, 2023	2022-4	9,261	3,306	9	0
8	OCT 19, 2022	2022-3	9,261	3,242	9	0
7	JUL 13, 2022	2022-2	9,261	3,196	9	0
6	JUL 13, 2022	2022-1	9,261	3,116	9	0
5	JAN 30, 2022	2021-4	9,261	3,008	10	0
4	OCT 25, 2021	2021-3	9,261	2,776	0	0
3	JUL 12, 2021	2021-2	9,261	2,409	0	0
2	APR 06, 2021	2021-1	9,261	1,078	0	0
1	JAN 18, 2021	2020-4	9,261	102	0	0

This Document Last Updated : OCT 29, 2024

Definitions :

Reporting Period: The reporting period is the manufacturer is reporting recall completion figures.

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.