

**Recall Annual Report****20V-760**

**Manufacturer Name :** Volkswagen Group of America, Inc.  
**NHTSA Recall No. / MFR Recall No. :** 20V-760 /27i6  
**Recall Subject :** Terminal Cover Can Compromise 12-Volt Power Supply  
**Owner Notification Beginning Date :** JAN 19, 2021  
**Owner Notification End Date:** JAN 19, 2021

**Annual Reports**

Report #	Submission Date	Reporting Period	Recall Population	Total Remedied	Total Unreachable	Total Removed
1	JAN 29, 2024	2023-1 to 2023-4	2,355	2,199	2	0

**Quarterly Reports**

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	JAN 26, 2023	2022-4	2,355	2,128	3	0
7	OCT 27, 2022	2022-3	2,355	2,100	4	0
6	JUL 29, 2022	2022-2	2,355	2,048	4	0
5	APR 26, 2022	2022-1	2,355	1,974	5	0
4	JAN 27, 2022	2021-4	2,355	1,904	6	0
3	OCT 28, 2021	2021-3	2,355	1,768	8	0
2	JUL 29, 2021	2021-2	2,355	1,498	4	0
1	APR 29, 2021	2021-1	2,355	887	0	0

This Document Last Updated : FEB 12, 2024

**Definitions :**

**Reporting Period:** The reporting period is the manufacturer is reporting recall completion figures.

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.