

# Recall Quarterly Report

## 21V-003

**Manufacturer Name :** Braun Ambulances  
**NHTSA Recall No. / MFR Recall No. :** 21V-003 /  
**Recall Subject :** D-Ring Installed Too Close To Mounting Flange  
**Owner Notification Beginning Date :** MAR 01, 2021  
**Owner Notification End Date:** MAR 05, 2021



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	MAR 20, 2023	2022-4	61	53	0	0
7	MAR 20, 2023	2022-3	61	49	0	0
6	MAR 20, 2023	2022-2	61	48	0	0
5	MAR 20, 2023	2022-1	61	46	0	0
4	MAR 20, 2023	2021-4	61	45	0	0
3	NOV 24, 2021	2021-3	61	43	0	0
2	NOV 24, 2021	2021-2	61	31	0	0
1	NOV 24, 2021	2021-1	61	16	0	0

This Document Last Updated : MAR 21, 2023

### Definitions :

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.