

**Recall Quarterly Report****21V-130**

**Manufacturer Name :** Ferrara Fire Apparatus, Inc.  
**NHTSA Recall No. / MFR Recall No. :** 21V-130 /  
**Recall Subject :** Locking Tabs May Break Off During Operation  
**Owner Notification Beginning Date :** APR 20, 2021  
**Owner Notification End Date:** APR 23, 2021



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
5	AUG 23, 2022	2022-2	257	161	0	0
4	AUG 23, 2022	2022-1	257	153	0	0
3	AUG 23, 2022	2021-4	257	147	0	0
2	AUG 23, 2022	2021-3	257	143	0	0
1	AUG 19, 2021	2021-2	257	141	0	0

This Document Last Updated : AUG 24, 2022

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.