

Recall Quarterly Report**21V-130**

Manufacturer Name : Ferrara Fire Apparatus, Inc.
NHTSA Recall No. / MFR Recall No. : 21V-130 /
Recall Subject : Locking Tabs May Break Off During Operation
Owner Notification Beginning Date : APR 20, 2021
Owner Notification End Date: APR 23, 2021



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
5	AUG 23, 2022	2022-2	257	161	0	0
4	AUG 23, 2022	2022-1	257	153	0	0
3	AUG 23, 2022	2021-4	257	147	0	0
2	AUG 23, 2022	2021-3	257	143	0	0
1	AUG 19, 2021	2021-2	257	141	0	0

This Document Last Updated : AUG 24, 2022

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.