## **Recall Quarterly Report**

21V-175

**Manufacturer Name:** LGS Industries, Inc.

**NHTSA Recall No. / MFR Recall No.:** 21V-175 /20210312SCU **Recall Subject:** Asphyxiation Danger Warning Label Missing

**Owner Notification Beginning Date :** APR 09, 2021

Owner Notification End Date: APR 12, 2021



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	MAY 05, 2023	2023-1	60	2	0	0
7	JAN 04, 2023	2022-4	60	2	0	0
6	OCT 05, 2022	2022-3	60	2	0	0
5	JUL 19, 2022	2022-2	60	2	0	0
4	APR 15, 2022	2022-1	60	2	0	0
3	JAN 20, 2022	2021-4	60	2	0	0
2	OCT 05, 2021	2021-3	60	2	0	0
1	JUL 15, 2021	2021-2	60	2	0	0

This Document Last Updated: MAY 05, 2023

## **Definitions:**

 $Report\ Quarter:\ The\ quarter\ the\ manufacturer\ is\ reporting\ recall\ completion\ figures\ (e.g.\ 2012-3\ means\ the\ 3^{\bf rd}\ quarter\ of\ 2012).$ 

Recall Population: The total number of products recalled by the manufacturer.

Total Remedied: The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable: Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed: Products that have been scrapped, stolen, or exported.