

Recall Quarterly Report**21V-289****Manufacturer Name :** REV Ambulance Group Orlando, Inc.**NHTSA Recall No. / MFR Recall No. :** 21V-289 /**Recall Subject :** Lighting and HVAC Display May Lock Up**Owner Notification Beginning Date :** MAY 05, 2021**Owner Notification End Date:** MAY 14, 2021

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
7	FEB 06, 2023	2022-4	20	10	0	0
6	NOV 30, 2022	2022-3	20	10	0	0
5	NOV 30, 2022	2022-2	20	10	0	0
4	NOV 30, 2022	2022-1	20	10	0	0
3	NOV 29, 2022	2021-4	20	10	0	0
2	AUG 23, 2022	2021-3	20	10	0	0
1	AUG 09, 2021	2021-2	20	4	0	0

This Document Last Updated : FEB 06, 2023

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.