

Recall Quarterly Report

21V-289

Manufacturer Name : REV Ambulance Group Orlando, Inc.

NHTSA Recall No. / MFR Recall No. : 21V-289 /

Recall Subject : Lighting and HVAC Display May Lock Up

Owner Notification Beginning Date : MAY 05, 2021

Owner Notification End Date: MAY 14, 2021



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	MAR 31, 2023	2023-1	20	10	0	0
7	FEB 06, 2023	2022-4	20	10	0	0
6	NOV 30, 2022	2022-3	20	10	0	0
5	NOV 30, 2022	2022-2	20	10	0	0
4	NOV 30, 2022	2022-1	20	10	0	0
3	NOV 29, 2022	2021-4	20	10	0	0
2	AUG 23, 2022	2021-3	20	10	0	0
1	AUG 09, 2021	2021-2	20	4	0	0

This Document Last Updated : APR 04, 2023

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.