

Recall Quarterly Report**21V-526**

Manufacturer Name : Mercedes-Benz USA, LLC
NHTSA Recall No. / MFR Recall No. : 21V-526 /2021080005
Recall Subject : Excessive Voltage at Second-Row Power Outlet
Owner Notification Beginning Date : SEP 03, 2021
Owner Notification End Date: SEP 03, 2021



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
7	APR 19, 2023	2023-1	1,690	1,602	0	0
6	JAN 20, 2023	2022-4	1,690	1,566	0	0
5	OCT 20, 2022	2022-3	1,690	1,510	0	0
4	JUL 11, 2022	2022-2	1,690	1,402	0	0
3	APR 11, 2022	2022-1	1,690	1,242	0	0
2	JAN 11, 2022	2021-4	1,690	909	0	0
1	OCT 14, 2021	2021-3	1,690	394	0	0

This Document Last Updated : APR 20, 2023

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.